


Battery powered cable tray cutter EBS6LGKS

For burr-free operations



Burr-free and clean operations

The battery powered wire mesh cable tray cutter is able to cut Stainless Steel trays up to 6mm dia easily, quickly and cleanly.

EBS6LGKS

made in Germany


Hydraulic damping system significantly extends service life – maintenance required only after 20,000 cuts



LED for workplace illumination



Special cutting geometry – no burr formation – saves time as no follow-up work required



Easily replaceable cutting blade



Smaller head permits very good accessibility and cutting close to the weld point

The features of the EBS6LGKS

- Hydraulic damping system – significantly extends the service life of the tool
- Easily replaceable cutting blade
- Special cutting geometry – no burr formation – saves time as no follow-up work required
- Smaller head permits very good accessibility and cutting close to the weld point



Characteristics at a glance

- Open rotating cutting head
- Electronic control and monitoring of cutting operation
- One-button operating concept for controlling all tool functions
- Ergonomic 2-component housing with soft grips for comfortable and safe one-hand operation
- Balanced centre of gravity for simple handling and effortless operations
- LED for workplace illumination
- High-performance 18 V Lithium-ion batteries with high capacity and extremely short charging time
- High-performance motors for maximum operating speed
- Energy saving function by switching off the motor when the cutting operation is complete
- Quick motor stop for high user safety
- Automatic retraction when cut is complete
- Manual blade retraction if required
- Multifunction LED for maintenance display and battery charge indication of the battery
- Environmentally-friendly hydraulic oil, quickly biodegradable

Item No.:	EBS6LGKS
Cutting range:	max. 6 mm VA
Cutting force:	24 kN
Cutting time:	< 1s
Number of cuts:	approx. 300 at 6 mm VA
Battery voltage:	18 V
Capacity:	1.5 Ah
Charging time:	15 min
Weight incl. battery:	1.9 kg
Ambient temperature:	-10 to +40 degrees

An overview of the EBS6LGKS scope of supply

 <p>Case KK50L Rigid plastic case</p>	 <p>RAL1 battery 18 V / 1.5 Ah / Li-Ion</p>	 <p>Charger LGL1 Quick-charger for 18 V Li-Ion batteries, 230 V</p>
--	---	---

An overview of the EBS6LGKS accessories

- RAL2 18 V / 3.0 Ah, Li-Ion battery
- RAL40 18 V / 4.0 Ah, Li-Ion battery
- EBS6LGKSE replacement blade set
- 18 V mains adapter for 230 V mains voltage
- PGA1 – USB adapter

Klauke®

Gustav Klauke GmbH

Auf dem Knapp 46 | D-42855 Remscheid

Phone: +49 (0) 2191 907 - 0

Fax: +49 (0) 2191 907 - 141

email: info@klauke.textron.com

Internet: www.klauke.com